

Below, three different ways to render the same text.

- first, the default style (the definition of `sectional-normal` is in the file `section-base.ts`)
The « problem » is the `<no-indent*>` at the end, which deactivate the indentation of the first § after the sectional tag
- second, no deactivation of indentation after a section (modification of `sectional-normal`)
- third, paragraph indentation set to 0 (by assigning `par-first` a suitable value, here 0)

display the source tree of this file to see how this is done.

To avoid blank lines in the document, include the code lines in a `<hide-preamble|...>` tag (see between sections 2 & 3)

1 Exemple

We give in this section three non trivial examples.

The first one was found by Pierre Saez..

Proin. Morbi lacus, cubilia lacus nec eget conubia elit, pede ornare faucibus arcu. Duis auctor mi dictumst. Scelerisque. Ad odio imperdiet molestie ut purus dictum justo, laoreet.

2 Exemple

We give in this section three non trivial examples.

The first one was found by Pierre Saez..

Proin. Morbi lacus, cubilia lacus nec eget conubia elit, pede ornare faucibus arcu. Duis auctor mi dictumst. Scelerisque. Ad odio imperdiet molestie ut purus dictum justo, laoreet.

3 Exemple

We give in this section three non trivial examples.

The first one was found by Pierre Saez..

Proin. Morbi lacus, cubilia lacus nec eget conubia elit, pede ornare faucibus arcu. Duis auctor mi dictumst. Scelerisque. Ad odio imperdiet molestie ut purus dictum justo, laoreet.

4 Exemple

We give in this section three non trivial examples.

The first one was found by Pierre Saez..

Proin. Morbi lacus, cubilia lacus nec eget conubia elit, pede ornare faucibus arcu. Duis auctor mi dictumst. Scelerisque. Ad odio imperdiet molestie ut purus dictum justo, laoreet.